

# RURALCO ANIMAL HEALTH PRODUCT GUIDE



Offering you the latest information on  
Ruralco's top selling animal health products.

**Ruralco**   
OBSESSED WITH AGRICULTURE

## Your animal's health is our priority.

**Our extensive product range will ensure you maximise production and performance on farm. Here is a simple guide to show our range of animal health products.**

We offer competitive pricing with real value and are here to make your farming life easier. Shop online or in store, and we'll deliver the right product when you need it.

Talk to one of our friendly Ruralco representatives today.  
You can find contact details on the back page of this guide.

Remember to always read the product label.

### CONTENTS:

<b>POUR-ON</b> page 3	<b>INJECTABLES</b> page 4	<b>MINERAL VACCINES</b> page 6
<b>ORAL</b> page 7	<b>SHEEP FLY &amp; LICE</b> page 10	<b>VACCINES</b> page 13

Ruralco, its affiliates, agents, and employees, and all persons acting on its or their behalf collectively, disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any part of this document. Ruralco makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Ruralco disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability. Statements regarding the suitability of products for certain types of applications are based on Ruralco's knowledge of typical requirements and to the best of Ruralco's knowledge are true and accurate. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Always read the product label.

# For the people and places making our communities tick



Join Ruralco and enjoy convenience, competitive pricing, and expert advice for your farming business. We are a shareholder driven business, working with you, and for you, to make your farming life easier.

With Ruralco, you'll benefit from competitive pricing and real value to meet the needs of your farming business including farm supplies, seed, energy, bulk fuel and fertiliser. You also have access to a Ruralco Credit Card, offering discounts at over 3,000 businesses and fuel outlets nationwide. All with the convenience of a single statement for consolidated spend and improved cashflow.

As experts in agriculture, we provide comprehensive solutions with personalised advice and the latest innovations, whether on farm, in store or online.



**For more information on becoming a Ruralco Shareholder drop into one of our stores, call 0800 787 256 or visit [ruralco.co.nz](http://ruralco.co.nz) to join online today\*.**

\*Eligibility criteria, lending criteria, terms and conditions apply.

# POUR-ON



## CYDECTIN POUR-ON

- Works harder, with persistent activity against *Ostertagia ostertagi* for 35 days
- NZ dairy production trials conducted at dry off, late lactation or calving showed an average increase of 4.2kg MS per cow across the three trials

Active ingredient: Moxidectin  
ACVM Act 1997, No. A6203

SUITABLE FOR:



DOSE CATTLE:

**1ml**  
per 10kg

PACK SIZE:

**500ml, 2L,  
5L & 15L**

WITHHOLDING PERIOD: **Nil**



## ACTIVE+ EPI POUR-ON

- For the treatment and control of internal and external parasites of beef and dairy cattle (including lactating cows) and internal parasites of deer
- Effective, safe and convenient
- Weatherproof

Active ingredient: Eprinomectin  
ACVM Act 1997 No. A011491

SUITABLE FOR:



DOSE CATTLE:

**1ml**  
per 10kg

PACK SIZE:

**5L & 20L**

WITHHOLDING PERIOD:

Meat: **Cattle: Nil / Deer: 7 days**  
Milk: **Nil**



## ACTIVE+ ABA POUR-ON

- Fast acting, broad-spectrum treatment and control of internal and external parasites of cattle
- Effective against sucking and biting lice
- Effective against lungworm

Active ingredient: Abamectin  
ACVM Act 1997, No. A011493

SUITABLE FOR:



PACK SIZE:

**2.5L, 5L  
& 20L**

DOSE CATTLE:

**1ml**  
per 20kg

WITHHOLDING PERIOD:

Meat: **35 days**  
Milk: **35 days**



## OUTLAW POUR-ON

- Convenient low volume, double active combination pour-on, delivering full abamectin and levamisole doses
- Highly effective against endectocide (ML) resistant *Cooperia spp*
- Ideal for young cattle over 100kg bodyweight and dairy cows at dry-off

Active ingredient: Abamectin & levamisole  
ACVM Act 1997, No. A010375

SUITABLE FOR:



PACK SIZE:

**2.5L  
& 6.5L**

DOSE CATTLE:

**1ml**  
per 20kg

WITHHOLDING PERIOD:

Meat: **42 days**  
Milk: **42 days**



## ACTIVE+ DELGUARD

- A pour-on for the prevention of nuisance fly and control of biting and sucking lice
- Up to four weeks protection against nuisance fly
- Nil milk withholding period

Active ingredient: Deltamethrin. ACVM Act 1997, No. A011640

SUITABLE FOR:



PACK SIZE:

5L

DOSE CATTLE:

1ml  
per 20kg

WITHHOLDING PERIOD:

Meat: 28 days  
Milk: Nil



## DESTRUCT

- Organophosphate insecticide pour-on for the control of cattle lice

Active ingredient: Propetamphos  
ACVM Act 1997, No. A5740

SUITABLE FOR:



PACK SIZE:

5L

DOSE CATTLE:

1ml  
per 10kg

WITHHOLDING PERIOD:

Meat: 3 days  
Milk: 5 days

# INJECTABLES



## ANIMEC SUPER

- A one dose injectable solution for the treatment and control of internal parasites of cattle, including adult liver fluke
- Its convenience, broad-spectrum efficacy and wide safety margin make it an ideal product for parasite control in cattle

Active ingredient: Ivermectin & clorsulon  
ACVM Act 1997, No. A011397

SUITABLE FOR:



PACK SIZE:

500ml

DOSE CATTLE:

1ml per 50kg

WITHHOLDING PERIOD:

Meat: Cattle 28 days  
Milk: 14 days



## CYDECTIN INJECTION

- An easy to use injection with a wide safety margin
- Prevents reinfection from *Teladorsagia (Ostergaia) circumcincta* for 35 days in sheep
- Prevents reinfection from *Ostertagia Ostertagi* and lung worm for 28 days in cattle

Active ingredient: Moxidectin  
ACVM Act 1997, No. A5979

SUITABLE FOR:



PACK SIZE:

500ml

DOSE SHEEP:

0.1ml  
per 5kg

DOSE CATTLE:

1ml  
per 50kg

WITHHOLDING PERIOD:

Meat: Cattle: 35 days,  
Sheep: 28 days. Milk: 35 days



## CYDECTIN LA

- NZ trial work demonstrated that on average pre-lamb treated ewes were 3.2kg heavier, and produced lambs 2.6kg heavier at weaning compared to untreated animals
- Easy to administer and gives equivalent production benefits to capsules

Active ingredient: Moxidectin. ACVM Act 1997, No. A9926

SUITABLE FOR:



PACK SIZE:

**500ml**

DOSE SHEEP:

**1ml**  
per 20kg

WITHOLDING PERIOD:

Meat: **91 days**  
Milk: **180 days**



## EWEGUARD

- Convenience of a clostridial vaccine and drench in one injection saving time and labour in the yards
- Shown to increase ewe and lamb weights in NZ field trials
- Produce heavier lambs with less dags

Active ingredient: Moxidectin and a 6-in-1 vaccine (5 clostridials plus Cheesy Gland)  
ACVM Act 1997, No. A7302 & A9122 (selenised)

SUITABLE FOR:



AVAILABLE AS:

**Plain or Selenised**

DOSE SHEEP:

**2mL** for up to 50kg  
**1mL** per 25kg if over 50kg

PACK SIZE:

**500ml**

WITHOLDING PERIOD:

Meat: **49 days**  
Milk: **49 days**



## DORAJECT

- For the treatment and control of doramectin-sensitive internal parasites in cattle
- NZ made – proven efficacy from doramectin active ingredient

Active ingredient: Doramectin. ACVM Act 1997, No. A10717

SUITABLE FOR:



PACK SIZE:

**500ml**

DOSE CATTLE:

**1ml**  
per 50kg

WITHOLDING PERIOD:

Meat: **42 days**  
Milk: **42 days**



## MOXISURE LA

- For the treatment and control of internal parasites, nasal bot and itchmite in sheep
- NZ made – long acting injection containing moxidectin active ingredient

Active ingredient: Moxidectin. ACVM Act 1997, No. A10806

SUITABLE FOR:



PACK SIZE:

**500ml**

DOSE SHEEP:

**1ml**  
per 20kg

WITHOLDING PERIOD:

Meat: **127 days**  
Milk: **180 days**



## NILVAX

- Convenience of a clostridial vaccine and drench in one injection saving time and labour in the yards
- Shown to increase ewe and lamb weights in NZ field trials
- Produce heavier lambs with less dags

Active ingredient: Levamisole and a 5-in-1 vaccine  
ACVM Act 1997, No's. A3832, A3977 & A934

SUITABLE FOR:



AVAILABLE AS:

**Selenised**

DOSE SHEEP: Refer to label

PACK SIZE:

**500ml**

WITHOLDING PERIOD:

Meat: **21 days**  
Milk: **35 days**

# MINERAL VACCINES



## COBALJECT B12 1000

- For the treatment and control of cobalt & selenium deficiency in sheep and cattle
- Treatment of pregnant ruminants should benefit new-born animals
- Supplementation of young ruminants should begin at or before weaning for best results

Active ingredient: Hydroxocobalamin  
ACVM Act 1997, No. A011690 & A011692

SUITABLE FOR:



AVAILABLE AS:

Plain or  
Selenised

PACK SIZE:

500ml

WITHHOLDING PERIOD:

Nil

DOSE: Refer to label



## COBALJECT B12 2000

- For the treatment and control of cobalt & selenium deficiency in sheep and cattle
- Dose rates ideal for calves and cattle
- Supplementation of young ruminants should begin at or before weaning for best results

Active ingredient: Hydroxocobalamin  
ACVM Act 1997, No. A11694 & A11696

SUITABLE FOR:



AVAILABLE AS:

Plain or  
Selenised

PACK SIZE:

500ml

WITHHOLDING PERIOD:

Nil

DOSE: Refer to label



## INJECTAMAX

- Trace mineral injection for cattle that contains copper, manganese, zinc and selenium, PLUS B12, in a safe, chelated formulation
- Subcutaneous injection
- Convenient and optimal dose rates

Active ingredient: Copper, manganese, zinc & selenium, PLUS B12.  
ACVM Act 1997, No. A011926

SUITABLE FOR:



AVAILABLE AS:

Multi-mineral  
+ B12

PACK SIZE:

500ml flexi

WITHHOLDING PERIOD:

Nil

DOSE CALF: 1ml per 50kg

DOSE CATTLE: 1-2 years: 1ml per 75kg  
>2 years: 1ml per 100kg



## INJECTAMIN

- Trace mineral injection for cattle and deer that contains copper, manganese, zinc and selenium in a safe, chelated formulation
- Subcutaneous injection
- Convenient and optimal dose rates

Active ingredient: Copper, manganese, zinc & selenium  
ACVM Act 1997, No. A011925

SUITABLE FOR:



AVAILABLE AS:

Multi-mineral

PACK SIZE:

500ml flexi

WITHHOLDING PERIOD:

Nil

DOSE CALF: 1ml per 50kg

DOSE CATTLE: 1-2 years: 1ml per 75kg  
>2 years: 1ml per 100kg

DOSE DEER: 1ml per 100kg

# ORAL



## ACTIVE+ MERGE

- Low dose combination oral drench
- Controls internal parasites in sheep and cattle including tapeworm in sheep
- Levamisole has retained efficacy against Cooperia species, worms that commonly show resistance to other drench families

*Active ingredient: Oxfendazole & levamisole with cobalt, zinc & selenium. ACVM Act 1997, No. A011494*

SUITABLE FOR:



AVAILABLE AS:

**Mineralised**

DOSE SHEEP  
& CATTLE:

**1ml per 10kg**

PACK SIZE:

**5L, 10L  
& 20L**

WITHHOLDING PERIOD:

Meat: **10 days**  
Milk: **Sheep 35 days,  
Cattle 144 hours**



## ACTIVE+ DUPLÉ

- Convenient low dose combination drench
- For the management of internal parasites in sheep and cattle
- ML/clear dual combination oral drench

*Active ingredient: Abamectin & levamisole with cobalt & selenium ACVM Act 1997, No. A011497*

SUITABLE FOR:



AVAILABLE AS:

**Mineralised**

DOSE SHEEP  
& CATTLE:

**1ml per 10kg**

PACK SIZE:

**5L, 10L  
& 20L**

WITHHOLDING PERIOD:

Meat: **Sheep & Cattle 14 days**  
Milk: **35 days**



## ACTIVE+ TREBLE

- For the management of internal parasites in sheep and cattle
- White/ML/clear combination plus selenium and cobalt
- Developed in New Zealand for New Zealand

*Active ingredient: Abamectin, oxfendazole & levamisole with cobalt & selenium ACVM Act 1997, No. A011495*

SUITABLE FOR:



AVAILABLE AS:

**Mineralised**

DOSE SHEEP  
& CATTLE:

**1ml per 10kg**

PACK SIZE:

**5L, 10L  
& 20L**

WITHHOLDING PERIOD:

Meat: **Sheep & Cattle 14 days**  
Milk: **35 days**



## ACTIVE+ TREBLE iTAPE

- For the treatment and control of tapeworm and internal parasites in sheep
- Aids in the supplementation of Selenium and Cobalt
- Ideal lamb drench contains Ivermectin in a quad combination

Active ingredient: Ivermectin, levamisole, oxfendazole & praziquantel with cobalt & selenium. ACVM Act 1997, No. A011498

SUITABLE FOR:



AVAILABLE AS:

**Mineralised**

DOSE SHEEP:

**1ml**  
per 5kg

PACK SIZE:

**5L & 10L**

WITHHOLDING PERIOD:

Meat: **14 days**  
Milk: **35 days**



## ACTIVE+ TREBLE SHEEP

- For the treatment and control of internal parasites in sheep
- White/ML/clear combination plus selenium and cobalt
- Developed in New Zealand for New Zealand

Active ingredients: Abamectin, oxfendazole, levamisole with selenium & cobalt. ACVM Act 1997, No. A011892

SUITABLE FOR:



PACK SIZE:

**10L & 20L**

DOSE SHEEP:

**1ml**  
per 5kg

WITHHOLDING PERIOD:

Meat: **14 days**  
Milk: **35 days**



## CERVIDAE ORAL

- A low dose triple combination drench
- For the treatment and control of gastrointestinal parasites in deer
- Made and developed in New Zealand

Active ingredient: Moxidectin, oxfendazole & levamisole  
ACVM Act 1997, No. A11849

SUITABLE FOR:



AVAILABLE AS:

**Plain**

DOSE DEER:

**1ml**  
per 10kg

PACK SIZE:

**2.5L & 5L**

WITHHOLDING PERIOD:

Meat: **28 days**  
Milk: **35 days**



## COMBINATION PLUS TAPE

- A broad spectrum sheep drench for the control of tapeworms (heads and segments), adult liver fluke and susceptible gastrointestinal roundworms and lungworms in sheep and lambs. Including benzimidazole and levamisole resistant strains

Active ingredient: Albendazole, levamisole & praziquantel  
ACVM Act 1997, No. A9871

SUITABLE FOR:



AVAILABLE AS:

**Mineralised**

DOSE SHEEP:

**1ml**  
per 5kg

PACK SIZE:

**1L, 5L & 10L**

WITHHOLDING PERIOD:

Meat: **10 days**  
Milk: **35 days**





## CYDECTIN ORAL

- Protect your stock from parasite burdens for longer with 35 days persistent activity against barber's pole worm & 21 days *Teladorsagia (Ostertagia) circumcincta*
- NZ trial work found lambs were able to grow at least 60% faster treated with Cydectin Oral compared to a short acting drench

Active ingredient: Moxidectin  
ACVM Act 1997, No. A07388 & A6204

SUITABLE FOR:



AVAILABLE AS:

Plain or Selenised

DOSE SHEEP:

1ml per 5kg

PACK SIZE:

2L selenised only & 15L

WITHOLDING PERIOD:

Meat: 10 days  
Milk: 84 hours



## CYDECTIN PLUS TAPE

- The benefits of Cydectin Oral, with the addition of praziquantel when tapeworm control is required

Active ingredient: Moxidectin & praziquantel  
ACVM Act 1997, No. A8036

SUITABLE FOR:



AVAILABLE AS:

Plain

DOSE SHEEP:

1ml per 5kg

PACK SIZE:

10.5L

WITHOLDING PERIOD:

Meat: 7 days  
Milk: 35 days



## COMBINATION ORAL SHEEP DRENCH

- Oral broad spectrum combination drench
- Control of susceptible gastrointestinal roundworms and lungworms

Active ingredient: Albendazole & levamisole  
ACVM Act 1997, No. A9764

SUITABLE FOR:



PACK SIZE:

1L, 5L & 20L

DOSE SHEEP:

1ml per 5kg

WITHOLDING PERIOD:

Meat: 10 days  
Milk: 35 days



## MECTIN ORAL

- Single active abamectin broad spectrum worm control

Active ingredient: Abamectin  
ACVM Act 1997, No. A9920

SUITABLE FOR:



PACK SIZE:

1L & 20L

DOSE SHEEP:

1ml per 5kg

WITHOLDING PERIOD:

Meat: 21 days  
Milk: 35 days

# SHEEP FLY & LICE



## ACTIVE+ CYRO SPRAY ON

- Ready to use spray on application
- Protection period – up to six weeks
- Very competitive cost per dose

Active ingredient: Cyromazine  
ACVM Act 1997, No. A011468

SUITABLE FOR:



PACK SIZE:  
**10L & 20L**

DOSE SHEEP:  
Refer to label

WITHHOLDING PERIOD:  
Meat: **7 days**  
Milk: **35 days**



## ACTIVE+ CYRO LIQUID

- For prevention of blowfly strike on sheep for up to 12 weeks
- Water soluble suspension for jetting, dipping & dressing
- Long term protection - up to 12 weeks

Active ingredient: Cyromazine  
ACVM Act 1997, No. A011467

SUITABLE FOR:



PACK SIZE:  
**10L & 20L**

DOSE SHEEP:  
Refer to label

WITHHOLDING PERIOD:  
Meat: **7 days**  
Milk: **35 days**



## CYREX LIQUID

- Treats active flystrike and prevents blowfly strike for up to 12 weeks
- Treatment for lice on long wool merino sheep (>3 months wool)
- Control of lice on coarse wool breeds

Active ingredient: Cyromazine & spinosad  
ACVM Act 1997, No. A009917

SUITABLE FOR:



PACK SIZE:  
**250ml, 5L & 10L**

DOSE SHEEP:  
Refer to label

WITHHOLDING PERIOD:  
Meat: **7 days**  
Milk: **35 days**  
Wool: **at least 2 months**



## EXTINOSAD

- Controls lice on long wool merino sheep (>3 months wool) and coarse wool breeds
- Treats and provides short-term protection against blowfly strike on sheep

Active ingredient: Spinosad. ACVM Act 1997, No. A008206

SUITABLE FOR:



PACK SIZE:  
**5L & 10L**

DOSE SHEEP:  
Refer to label

WITHHOLDING PERIOD:  
Meat: **Nil**  
Milk: **35 days**



## MAGGO

- For the treatment of flystrike in sheep
- Offers protection from re-strike on treated area
- Convenient applicator to ensure correct rate is applied

Active ingredient: Propetamphos & paradichlorobenzene  
ACVM Act 1997, No. A5679

SUITABLE FOR:



PACK SIZE:

1L

DOSE SHEEP:  
1 part Maggo  
to 40 parts  
water

WITHHOLDING  
PERIOD:  
Meat: 14 days  
Milk: 35 days



## MAGNUM®

- A fly and lice pour-on for sheep
- Water-based IGR pour-on for the prevention of flystrike and control of lice
- Nil meat withholding period, so no delay in getting lambs away
- Provides 8 weeks fly protection

Active ingredient: Diflubenzuron (IGR - Insect Growth Regulator)  
ACVM Act 1997, No. A7704

SUITABLE FOR:



PACK SIZE:

2.5L & 20L

DOSE SHEEP:  
Refer to label

WITHHOLDING  
PERIOD:  
Meat: Nil  
Milk: 35 days  
Wool: 60 days



## SERAPHOS 1250

- Controls blowfly and cattle ticks on sheep
- Eradicates lice and keds on sheep

Active ingredient: Propetamphos  
ACVM Act 1997, No. A004265

SUITABLE FOR:



PACK SIZE:

5L

DOSE SHEEP:  
Refer to label

WITHHOLDING  
PERIOD:  
Meat: 14 days  
Milk: 35 days  
Wool: 60 days  
at least



## UNLOCK CONCENTRATE

- Lice and fly concentrate formulation provides up to 12 weeks fly control and as an aid in the control of cockle damage in all breeds of sheep

Active ingredient: Diflubenzuron  
ACVM Act 1997, No. A11628

SUITABLE FOR:



PACK SIZE:

10L

DOSE SHEEP:  
Refer to label

WITHHOLDING  
PERIOD:  
Meat: 7 days  
Milk: 35 days  
Wool: 60  
days at least



## UNLOCK COMBINATION

- A unique lice and fly insect growth regulator with proven actives for use on all breeds of sheep

Active ingredient: Cyromazine & diflubenzuron  
ACVM Act 1997, No. A011637

SUITABLE FOR:



PACK SIZE:

5L & 10L

DOSE SHEEP:  
Per 100L:  
Fly 400ml  
Lice 200ml

WITHHOLDING  
PERIOD:  
Meat: 10 days  
Milk: 35 days  
Wool: 60 days  
at least



## UNLOCK CYRO LIQUID

- Non stripping saturation dip also suitable for jetting
- 2 weeks residual protection against flystrike
- Effective against all commonly found strike flies including the AU Green fly
- Suitable for use on all sheep breeds

Active ingredient: Cyromazine. ACVM Act 1997, No. A11947

SUITABLE FOR:



PACK SIZE:  
**2L & 10L**

DOSE SHEEP:

Refer to label

WITHHOLDING PERIOD:

Meat: **7 days**  
Milk: **35 days**  
Wool: **60 days**  
except spot treatment



## UNLOCK CYRO SPRAY ON

- Ready to use spray on formulation
- Effective against all commonly found strike flies including the AU Green fly
- Suitable for use on all breeds of sheep

Active ingredient: Cyromazine  
ACVM Act 1997, No. A11946

SUITABLE FOR:



PACK SIZE:  
**10L & 20L**

DOSE SHEEP:

Refer to label

WITHHOLDING PERIOD:

Meat: **21 days**  
Milk: **35 days**  
Wool: **60 days**  
except spot treatment



## UNLOCK POUR ON

- Water-based combination pour on for the control of lice and flystrike on sheep and flystrike prevention on lambs at docking/tailing
- 14 weeks flystrike prevention and 5 months lice control

Active ingredient: Diflubenzuron & deltamethrin  
ACVM Act 1997, No. A11630

SUITABLE FOR:



PACK SIZE:  
**5L & 20L**

DOSE SHEEP:

Refer to label

WITHHOLDING PERIOD:

Meat: **7 days**  
Milk: **35 days**  
Wool: **60 days**  
at least



## VANQUISH®

- A lice pour-on for long-wool sheep
- SP pour-on for the control of lice and prevention of flystrike. An ideal emergency lice outbreak treatment
- Protects against reinfestation for up to 22 weeks
- Also prevents flystrike for up to 6 weeks

Active ingredient: Alpha-cypermethrin (SP - Synthetic Pyrethroid)  
ACVM Act 1997, No. A5997

SUITABLE FOR:



PACK SIZE:  
**10L**

DOSE SHEEP:

Refer to label

WITHHOLDING PERIOD:

Meat: **7 days**  
Milk: **35 days**  
Wool: **60 days**



## WIPE-OUT®

- A lice pour-on for sheep
- SP pour-on for the control of lice and keds on sheep and goats
- Provides up to 13 weeks protection against reinfestation
- Rainfast

Active ingredient: Deltamethrin (SP - Synthetic Pyrethroid)  
ACVM Act 1997, No. A4558

SUITABLE FOR:



PACK SIZE:  
**1L & 11L**

DOSE SHEEP:

Refer to label

WITHHOLDING PERIOD:

Meat: **3 days**  
Milk: **35 days**  
Wool: **60 days**



## ZAPP ENCORE

- Combination pour-on for the knockdown and long term control of lice
- Knockdown of maggots and long term control of flystrike
- Rain fast and can be applied to wet sheep

Active ingredient: Triflumuron & imidacloprid.  
ACVM Act 1997, No. A010400

SUITABLE FOR:



PACK SIZE:

1L, 5L  
& 20L

DOSE SHEEP:

Refer to label

WITHHOLDING PERIOD:

Meat: 56 days  
Milk: 35 days



## ZENITH

- A fly and lice dip and jetting concentrate
- Water-based IGR dip and jetting concentrate for the prevention of flystrike and control of lice
- Up to 12 weeks fly control

Active ingredient: Diflubenzuron. ACVM Act 1997, No. A006102

SUITABLE FOR:



PACK SIZE:

5L

DOSE SHEEP:

Refer to label

WITHHOLDING PERIOD:

Meat: NIL  
Milk: 35 days

# VACCINES



## EWEGUARD

- Convenience of a clostridial vaccine and drench in one injection saving time and labour in the yards
- Shown to increase ewe and lamb weights in NZ field trials
- Produce heavier lambs with less dags

Active ingredient: Moxidectin and a 6-in-1 vaccine  
(5 clostridials plus Cheesy Gland)  
ACVM Act 1997, No. A7302 & A9122 (selenised)

SUITABLE FOR:



AVAILABLE AS:

Plain or  
Selenised

DOSE 2mL for up to 50kg  
SHEEP: 1mL per 25kg if over 50kg

PACK SIZE:

500ml

WITHHOLDING PERIOD:

Meat: 49 days  
Milk: 49 days



## LAMB VACCINE

- Immediate short-term tetanus protection
- Short-term pulpy kidney protection – develops 7-10 days after vaccination

Active ingredient: Clostridium perfringens (type D), toxoid & tetanus.  
ACVM Act 1997, No's. A1009, 1011 & A934

SUITABLE FOR:



AVAILABLE AS:

Plain or  
Selenised

DOSE LAMB:

2ml  
per lamb

PACK SIZE:

250ml  
& 500ml

WITHHOLDING PERIOD: Nil



## NILVAX

- Boosted with levamisole for enhanced immune response
- Boosts antibodies available for colostrum - ideal for multiple bearing ewes
- Longer vaccination window, up to 6 weeks before lambing

Active ingredient: Levamisole and a 5-in-1 vaccine  
ACVM Act 1997, No's. A3832, A3977 & A934

SUITABLE FOR:



AVAILABLE AS:

**Selenised**

DOSE SHEEP: See packet for weight range dose amounts the risk of levamisole toxicity.

PACK SIZE:  
**500ml**

WITHHOLDING PERIOD:  
Meat: **21 days**  
Milk: **35 days**



## MULTINE 5 IN 1

- Protects against pulpy kidney, malignant oedema, tetanus, black disease and blackleg
- Available in plain and with Vitamin B12 for sheep and cattle and selenised for sheep
- A proven performer on New Zealand farms for well over 30 years

Active ingredient: A 5-in-1 clostridial vaccine  
ACVM Act 1997, No. A000934 & A000935

SUITABLE FOR:



AVAILABLE AS:

**Plain or Selenised**

DOSE SHEEP:  
**2ml**  
per sheep

DOSE CATTLE:  
**2ml** under 4 months  
**4ml** over 4 months

PACK SIZE:  
**250ml & 500ml**

WITHHOLDING PERIOD:  
**Nil**



## MULTINE 5 IN 1 B12

- Protects against pulpy kidney, malignant oedema, tetanus, black disease and blackleg
- Available in plain and with Vitamin B12 for sheep and cattle
- A proven performer on New Zealand farms for well over 30 years

Active ingredient: A 5-in-1 clostridial vaccine  
ACVM Act 1997, No. A011311

SUITABLE FOR:



AVAILABLE AS:

**Plain**

DOSE SHEEP:  
**2ml**  
per sheep

DOSE CATTLE:  
**2ml** under 4 months  
**4ml** over 4 months

PACK SIZE:  
**500ml**

WITHHOLDING PERIOD:  
**Nil**



## MULTINE 5 IN 1 B12 SELENISED

- Protects against pulpy kidney, malignant oedema, tetanus, black disease and blackleg
- Includes an optimum 2mg dose of selenium for supplementation of lambs from tailing
- Use from tailing/docking in sheep and goats

Active ingredient: A 5-in-1 clostridial vaccine + Vitamin B12 and 2mg of Selenium per dose  
ACVM Act 1997, No. A11766

SUITABLE FOR:



AVAILABLE AS:

**Selenised**

DOSE SHEEP:  
**2ml**  
per sheep

PACK SIZE:  
**500ml**

WITHHOLDING PERIOD: **Nil**

**EXCLUSIVE  
to Ruralco**

# **BOOST / DAIRY MINERALS**

Enhance milk production naturally



A specifically formulated water-soluble, multi-mineral blend, providing essential trace elements for animal health. A generic blend available in store or a blend can be customised for your herd.

**BUY ONLINE**  
RURALCO.CO.NZ

**ORDER BY PHONE**  
0800 787 256

**BUY IN STORE**  
ASHBURTON / METHVEN / RAKAIA

**Ruralco**  
OBSESSED WITH AGRICULTURE 

# EXPERTS IN AGRICULTURE, PROVIDING A COMPLETE AND PERSONALISED ON-FARM SOLUTION

CONTACT US TODAY



0800 787 256

RURALCO.CO.NZ

ASHBURTON / METHVEN / RAKAIA



OBSESSED WITH AGRICULTURE